Air Quality Event Summary July 30, 2004


Typical warm summer weather led to unhealthy air quality on Friday, July 30 as temperatures reached the high 80s across the state and skies were clear for a good part of the day. Light south-southwesterly winds were present statewide and a noticeable sea breeze began to affect the coastline in early afternoon. Particulate matter concentrations were elevated early in the day as transported PM_{2.5} was already present in the northeast, and they continued to rise into the evening. Ozone levels increased rapidly in the afternoon, particularly along the seacoast, where a strong sea breeze was becoming established. Though ozone levels inland began to drop by mid afternoon in connection with higher wind speeds, seacoast ozone remained high under the onshore flow. The monitors at Portsmouth and Rye (Odiorne State Park) recorded levels in the "unhealthy for sensitive people" range, while most inland monitors barely reached moderate ozone levels.

The tables below show the highest ozone and $PM_{2.5}$ concentrations for the July 30 event. Further below are afternoon streamlines for the day, along with maximum 8-hour ozone levels. The streamline analysis from 3 PM clearly shows the sea breeze effect, with wind direction contours seen curving inland along the New Hampshire and Maine coasts.

Maximum Ozone and PM_{2.5} Concentrations July 30, 2004

	Ozone		Particle Pollution (PM 2.4)		
	1-hr avg.	8-hr avg.		1-hr avg.	24-hr avg
monitor	max ppb	max ppb	monitor	max ug3	max ug3
Manchester	81	71	Manchester	32	22
Keene	85	69	Portsmouth	37	28
Odiorne	114	93	Haverhill	30	14
Claremont	82	72	Miller	24	15
Nashua	92	80	Camp Dodge	18	3
Concord	81	72	'	,	
Portsmouth	116	98	no 1-hour standard		
Miller	89	78			
Laconia	64	59	24-hr exceedance		
Mt Washington	70	64	is > 65.5 ug/m3		
Haverhill	69	57			
Camp Dodge	71	53			
Pittsburg	55	46			
		,			
1-hr exceedance is> 124ppb					
8-hr exceedance is > 84 ppb					

Streamlines for July 30, 2004



Acadia National Park Ista